

AMENDMENTS TO THE CLAIMS:

Claims 1-2, 7-8, 10, 15, and 18-20 are amended, as shown below. Claims 9 and 16 are cancelled without prejudice. A complete listing of the claims in this case, with their status, is shown below.

1. (Currently Amended) A piezoelectric dispensing apparatus comprising:
a removable reservoir having an open top and an outlet at a base of the reservoir for containing liquid ~~for dispensing to be dispensed~~ from the apparatus;
a piezoelectric dispensing tube defining a bore in fluid communication with the reservoir, the piezoelectric dispensing tube comprising a dispensing end and a non-dispensing end;
a first filter extending across the outlet at the base of the reservoir for filtering liquids passing through the outlet;
a second filter being located between the reservoir and the non-dispensing end of the piezoelectric dispensing tube to prevent particulate matter collected on an underside of the reservoir from entering the piezoelectric dispensing tube; and
means for applying a vacuum and/or pressure to the contents of the reservoir when the reservoir is located in the apparatus.
2. (Currently Amended) A piezoelectric dispensing apparatus as claimed in claim 1 wherein the ~~reservoir defines an open top~~ of the reservoir is defined to allow liquids to be poured into the reservoir.
3. (Original) A piezoelectric dispensing apparatus as claimed in claim 2 wherein the top of the reservoir is flared outwardly.
4. (Previously presented) A piezoelectric dispensing apparatus as claimed in claim 3 wherein the means for applying a vacuum and/or pressure to the contents of the reservoir when the reservoir is located in the apparatus comprises a plunger shaped and configured to abut with and seal the top of the reservoir.

5. (Previously presented) A piezoelectric dispensing apparatus as claimed in claim 4 wherein the plunger comprises a through bore to permit the application of vacuum or pressure to the reagent vessel through the bore.

6. (Previously presented) A piezoelectric dispensing apparatus as claimed in claim 4 comprising a seat for receiving the removable reservoir and means for moving the plunger up and down towards and away from the seat.

7. (Currently Amended) A reservoir assembly for containing liquid ~~for dispensing to be dispensed~~ from a piezoelectric dispensing device, the piezoelectric dispensing device comprising a piezoelectric dispensing tube having a dispensing end and a non-dispensing end, wherein the assembly comprises

a reservoir having an open top and an outlet at a base of the reservoir;

a first filter ~~means being extending across the outlet at the base of the reservoir for filtering liquids passing through the outlet;~~ and

a second filter ~~means being located between the outlet at the base of the reservoir and the non-dispensing end of the piezoelectric dispensing tube to prevent particulate matter collected on an underside of the reservoir from entering the piezoelectric dispensing tube.~~

8. (Currently Amended) A reservoir assembly as claimed in claim 7 wherein the second filter has a pore size smaller than the pore size of the first filter;

9. (Cancelled)

10. (Currently Amended) A piezoelectric dispensing device comprising:
a reservoir for containing liquid to be dispensed from the device, the reservoir comprising an open top and an outlet at a base of the reservoir;

a first filter extending across the outlet at the base of the reservoir for filtering liquids passing through the outlet;

a piezoelectric dispensing tube defining a bore in fluid communication with the reservoir, the piezoelectric dispensing tube having a dispensing end and a non-dispensing end;

a second filter being located between the outlet at the base of the reservoir and the non-dispensing end of the piezoelectric dispensing tube; and

means for removably attaching **the non-dispensing end of** the piezoelectric dispensing tube in fluid communication with the reservoir, the attaching means comprising a closure means disposed at the base of the reservoir for closing the outlet of the reservoir when the reservoir is not attached to the piezoelectric dispensing tube.

11. (Previously presented) A piezoelectric dispensing device as claimed in claim 10 further comprising an annular foot portion on which the base of the reservoir is positionable wherein the closure means is spaced from the surface on which the foot rests.

12. (Previously presented) A piezoelectric dispensing device as claimed in claim 11 further comprising a handle attached to the reservoir.

13. (Previously presented) A piezoelectric dispensing device as claimed in claim 10 wherein the closure means is a septum.

14. (Previously presented) A piezoelectric dispensing device as claimed in claim 10 wherein the closure means is a valve.

15. (Currently Amended) A piezoelectric dispensing device **including comprising:**
a reservoir for containing liquid to be dispensed from the device and comprising an open top and an outlet at a base of the reservoir;

a piezoelectric dispensing tube defining a bore in fluid communication with the reservoir, the piezoelectric dispensing tube having a dispensing end and a non-dispensing end;

a **first** filter extending across the outlet of the reservoir **for filtering liquids passing through the outlet:**

a secondary filter assembly removably attachable to the base of the reservoir, the secondary filter assembly defining a bore in fluid communication with the reservoir when the secondary filter assembly is attached ~~thereto~~ **to the base of the reservoir,** the secondary filter assembly comprising means for removably attaching **the non-dispensing end of [a] the** piezoelectric dispensing tube in fluid

communication with the bore of the secondary filter assembly and a second filter extending across the bore of the secondary filter assembly; and

means for closing the outlet of the reservoir when the removable secondary filter assembly is not attached to the reservoir.

16. (Cancelled)

17. (Previously presented) A piezoelectric dispensing device as claimed in claim 15 wherein the means for closing the outlet of the reservoir is a valve.

18. (Currently Amended) A piezoelectric dispensing device as claimed in claim 15 wherein the means for closing the outlet of the reservoir [[are]] is a septum and wherein a hollow needle for piercing the septum projects from the secondary filter assembly.

19. (Currently Amended) A piezoelectric dispensing apparatus comprising:
a reservoir for containing liquid to be dispensed from the device, the reservoir comprising an open top and an outlet at a base of the reservoir;
a first filter extending across the outlet for filtering liquids passing through the outlet;
a piezoelectric dispensing tube defining a bore in fluid communication with the reservoir, the piezoelectric dispensing tube having a dispensing end and a non-dispensing end;
a secondary filter assembly removably attachable to the base of the reservoir, the secondary filter assembly defining a bore in fluid communication with the reservoir when the secondary filter assembly is attached to the base of the reservoir, the secondary filter assembly comprising means for removably attaching the non-dispensing end of the piezoelectric dispensing tube in fluid communication with the bore of the secondary filter assembly and a second filter extending across the bore of the secondary filter assembly;

and comprising means for removably attaching the non-dispensing end of the piezoelectric dispensing tube in fluid communication with the reservoir; [[and]]

a closure means disposed at the base of the reservoir for closing the outlet of the reservoir when [[a]] the removable secondary filter is not attached to the reservoir;

further including an apparatus defining a seat for receiving the removable reservoir in the apparatus~~[[7]]~~; **and**

means for applying a vacuum ~~[[or]]~~ **and/or** pressure to the contents of the reservoir, said applying means comprising a plunger shaped and configured to abut with and seal the open top of the reservoir ~~and which defines, the plunger defining~~ a through bore to permit the application of vacuum ~~[[or]]~~ **and/or** pressure to the reservoir through the bore, the plunger being movable relative to the seat.

20. (Currently Amended) A method of dispensing fluid from a piezoelectric ~~tube assembly, the assembly dispensing device, the device~~ comprising

a reservoir for containing liquid to be dispensed from the device, the reservoir comprising an open top and an outlet at a base of the reservoir;

a first filter extending across a base of the outlet for filtering liquids passing through the outlet;

a piezoelectric tube defining a bore in fluid communication with the reservoir, the piezoelectric dispensing tube having a dispensing end and a non dispensing end~~[[7]]~~;

a second filter being located at the non-dispensing end of the piezoelectric dispensing tube; means for removably attaching the non-dispensing end of the piezoelectric dispensing tube in fluid communication with the reservoir, the attaching means comprising a closure means disposed at the base of the reservoir for closing the outlet of the reservoir when the reservoir is not attached to the piezoelectric dispensing tube; and

means for applying a vacuum and/or pressure to the contents of the reservoir when the reservoir is located in the device, said means for applying a vacuum and/or pressure comprising a plunger shaped and configured to abut with and seal the open top of the reservoir, the plunger defining a through bore to permit the application of vacuum and/or pressure to the reservoir through the bore,

the method comprising the steps of: dispensing fluid from a reservoir disposed in fluid communication with the non-dispensing end of the piezoelectric tube

pouring a liquid into the reservoir via the open top;

applying the plunger to the open top to seal the open top and applying a vacuum and /or pressure to the contents of the reservoir; and

dispensing one or more droplets of liquid from the dispensing end.